

LPIC-1 100-400 – Lesson 3 – Lab

* Login into your Lab environment

- `$ cd Lab3`
- `$ pwd` # print working directory
- `$ ls` # show contents of working directory
- `$ ls -l` # same with long listing format
- `$ ls -la` # show hidden files as well
- `$ mkdir dir1/dir2 dir3/dir4` # what's wrong here?
- `$ mkdir -p dir1/dir2 dir3/dir4` # create directory hierarchy
- `$ ls -la` # list content anew
- `$ cd dir1/dir2` # change into `dir2`
- `$ pwd` # print working directory
- `$ echo $PWD` # environment variable showing working directory
- `$ echo $OLDPWD` # environment variable showing old working directory

Lesson 3 – Lab

- `$ touch fileone filetwo filethree fileA # create some empty files`
- `$ ls -la # show contents`
- `$ date # show date`
- `$ ls file* # list all files starting with 'file'`
- `$ ls filet* # list all files starting with 'filet'`
- `$ ls filet?? # list all files starting with 'filet' and followed by exactly 2 characters`
- `$ ls file{one,two} # show fileone and filetwo`
- `$ touch file1 file2 file3 file11 file22 # create some more empty files`
- `$ ls file[a-z]* # display files starting with 'file' and followed by an alpha character`
- `$ ls file[0-9] # display files starting with 'file' and followed by a single digit`
- `$ ls file[0-9]* # display files starting with 'file' and followed by a digit`

Lesson 3 – Lab

- `$ cd ../../ # go two directories back`
- `$ pwd # verify where we are working`
- `$ ls -R # recursive listing`
- `$ ls -lR # recursive long listing`
- `$ cd - # go back to the previous working directory ($OLDPWD)`
- `$ pwd # verify where we are working`
- `$ stat file[o,t]* > dates-before.txt # save the stats for the selected files`
- `$ touch file[o,t]* # change the dates of the selected files`
- `$ stat file[o,t]* > dates-after.txt # save the new stats for the selected files`
- `$ cat dates-before.txt dates-after.txt # compare the previous and new stats`
- `$ paste dates-before.txt dates-after.txt # compare the previous and new stats side by side`
- `$ cd dir3 ; pwd # change to dir3; verify`
- `$ touch dir4/fileA dir4/fileB # create some more empty files`

Lesson 3 – Lab

- `$ rmdir dir4 # try to remove dir4. Did it work?`
- `$ rm dir4/* # remove the contents of dir4`
- `$ rmdir dir4 # remove dir4. Did it work?`
- `$ mkdir dir4 # create a new dir4`
- `$ touch dir4/fileA dir4/fileB # create some new empty files`
- `$ rm -rf dir4 #(rm -Rf dir4) delete dir4 recursively`
- `$ cp -av ../dir1 . # copy dir1 and contents from parent to current recursively`
- `$ ls -lR # long listing recursively`
- `$ stat dir1/* # show stats of dir1 contents`
- `$ mv dir1 dir4 # rename dir1 to dir4`
- `$ stat dir4/* # show stats of dir4 contents`
- `$ mv dir4/* . # move contents of dir4 to current directory`
- `$ ls -lR # long listing recursively`



Lesson 3 – Lab

- **\$ stat *** # show stats for all contents of working directory
- **\$ mv -i .../dir1/dir2/* .** # reply “y”
- **\$ stat *** # show stats for all contents of working directory again
- **\$ ls -la .../dir1/dir2** # show contents of dir2
- **\$ ls -FR** # list classes recursively
- **\$ ls -F /bin** # list classes of /bin
- **\$ ls -F /dev | less** # list classes of /dev
- **\$ ls -FR /var/run | less** list classes of /var/run
- **\$ touch -t 197001010000 fileA** # go back in time
- **\$ ls -l fileA ; stat fileA** # time travel is possible!
- **\$ file *** # show type of all files in working directory
- **\$ cd ..** # go to parent directory
- **\$ file *** # show type of all files in the new working directory

Lesson 3 – Lab

- **\$ dd if=/etc/fstab of=fstab.mod conv=ucase** # convert to upper case
- **\$ paste -d\| /etc/fstab fstab.mod** # compare the two files
- **\$ find .** # find everything in the working directory
- **\$ find dir3 -ctime +15** # find files older than 15 days
- **\$ find dir3 -ctime +15 -delete** # delete files older than 15d
- **\$ find /usr/share -type f -exec file {} \;** # execute `file` on all normal files
- **\$ ls -lh** # display a long listing in human readable form
- **\$ gzip example.odt** # compress file example.odt
- **\$ ls -lh *.ooodt*** # compare the size of the two files
- **\$ ls . | cpio -ov > backup.cpio** # archive current directory
- **\$ find /etc | cpio -ov > etc.cpio** # archive /etc
- **\$ mkdir new-etc ; cd new-etc** # create a new directory
- **\$ cpio -iv < ../../etc.cpio** # extract /etc to the new directory

Lesson 3 – Lab

- `$ ls -lhR ; pwd # list everything recursively`
- `$ rm -fr * # remove everything in the working directory!`
- `$ tar cvf backup.tar /etc /boot /var # archive three directories (/etc /boot /var)`
- `$ gzip backup.tar # compress archive`
- `$ tar cvzf backup2.tar.gz /etc /boot /var # archive and compress using gzip`
- `$ tar cvjf backup3.tar.bz2 /etc /boot /var # archive and compress using bzip2`
- `$ tar cvJf backup4.tar.xz /etc /boot /var # archive and compress using xz`
- `$ ls -lh # compare the size of the three archives`
- `$ tar tvzf backup.tar.gz # display the contents of the archive`
- `$ tar xvzf backup.tar.gz # extract the archive in the working directory`




Lesson 3 – Lab

- `$ mkdir backup2 backup3 backup4 # create three backup directories`
- `$ time tar xvzf backup2.tar.gz -C backup2 # calculate the time needed to gzip to extract`
- `$ time tar xvjf backup3.tar.bz2 -C backup3 # calculate the time needed to bzip2 to extract`
- `$ time tar xvJf backup4.tar.xz -C backup4 # calculate the time needed to xz to extract`
- `$ ls -lR backup`



License



The work titled "LPIC-1 101-400 – Lesson 3 – Lab" by Theodosios Andreou is distributed with the Creative Commons Attribution ShareAlike 4.0 International License.

