


LPIC-1 102-500 – Lesson 12

108.4 Manage printers and printing



Linux Printing Systems

All Linux systems use the concept of print queue where all printing jobs are send in a spool. Every print queue represent a physical or virtual printer (e.g. “print” to pdf).

- Legacy systems:
 - **System V** printing system (basic command is **lp**).
 - **Berkeley** printing system (protocol **LPD/LPR**).
 - Modern systems:
 - **LPRng**: modern implementation of the LPR protocol providing backward compatibility with the Berkeley system.
 - **CUPS**: the most popular printing system which supports both legacy systems like System V and Berkeley but also modern protocols like IPP.
- 

System V Printing System


- Used in proprietary Unix systems like SCO and Solaris. ~~OpenSolaris~~ illumos provides a free/open implementation. Its commands are:
 - **lp**: printing command available to all users.
 - **lpstat**: show the printing queue.
 - **cancel**: remove a job from the printing queue.
 - **lpadmin**: manage the printing system.
 - **lpmove**: move a job from one queue (printer) to an other



Berkeley Printing system

- Developed by the Berkeley Software Distribution (BSD Unix) and inherited by its derivatives: FreeBSD, NetBSD and OpenBSD. Its commands are:
 - **lpr**: printing command available to all users.
 - **lpq**: show the printing queue.
 - **lprm**: remove a job from the queue.
 - **lpd**: the printing daemon running the system.


Note: LPRng is a newer generation of the Berkeley Printing System.



Common Unix Printing System – CUPS

- Developed by Apple Inc and it is the default printing system in most Linux distributions.
 - Supports local printing with parallel ports (IEEE 1284), serial (RS-232), USB and FireWire (IEEE-1394).
 - It supports printing over network and supports legacy systems like System V and BSD but also new protocols like IPP (Internet Printing Protocol), HP Jetdirect (AppSocket), SMB/CIFS and AppleTalk.
- 

CUPS Block Diagram




Author:

Glenn Davis (SVG),
Ta bu shi da yu (PNG),
and Kurt Pfeifle (ASCII)

Setting up CUPS

- The standard way of setting up CUPS is pointing your browser to its internal web page: Try this address in your browser:
http://localhost:631



CUPS configuration files

- **/etc/cup/cupsd.conf**: this is the basic CUPS configuration file. Its format is similar to the Apache webserver configuration files.
- **/etc/cups/printers.conf**: this file defines the installed printing queues (printers). It is automatically create and we should not modify it while **cupsd** is running.
- **/etc/printcap**: the is the legacy configuration file of the **BSD** printing systems. **CUPS** preserves this file for backward compatibility with legacy applications. It is automatically created alongside **printers.conf** and we should not modify its contents.



CUPS operation

- **cupsd**: the daemon managing the system.
- **/var/spool/cups**: the spool directory of CUPS. This is where all **print jobs** end up, each one with a different ID.
- **print queues**: this is the logical representation of printers in a system. They are defined in **/etc/cups/printer.conf** and **/etc/printcap**.



CUPS operation

- Supported backends:
 - Parallel:** e.g. parallel:/dev/lp0
 - USB:** e.g. usb://hp/lj%2000?serial=adcdef
 - IPP:** e.g. ipp://prnsrv/laserqueue
 - LPD:** e.g. lpd://prnsrv/laserqueue
 - JetDirect:** e.g. socket://prnsrv:9100
 - SMB:** e.g. smb://user:pass@prnsrv/laserqueue



CUPS operation

- **CUPS Filters:**
 - This system translates the data to be printed to a format understood by the printers.
 - **CUPS** uses the **Ghostscript** system which supports formats like **PostScript** and **PDF**.
 - The system reads the information about the printers features and specifications from a PPD (PostScript Printer Description) file, e.g. printing on both sides, color depth, printer drivers, etc.



Printing with `lp`

- `$ lp -d laserj -o media=a4 file # print the contents of file to the laserj queue on A4 paper.`
- `$ lp -d laserjet -o cpi=12 -o lpi=8 file # print the contents of file with a density of 12 characters per inch and 8 lines per inch.`
- `$ lp -d bar -o scaling=200 image # print the image file in 200% zoom. That will probably need 4 A$ papers.`



Printing with `lpr`

- `$ lpr /etc/fstab # print file fstab to the default queue.`
- `$ find /etc -type f | lpr # print the output of find to the default queue.`
- `$ lpr -#3 /etc/fstab -Plaserj # print 3 copies of the fstab file in the laserj queue.`



How print jobs and states with `lpstat`

- `$ lpstat #` show print jobs for the current user.
- `# lpstat #` the root user can see all print jobs in the system.
- `# lpstat -a #` show the print state of all queues.
- `# lpstat -t #` useful troubleshooting information.



Show print jobs with `lpq`

- `$ lpq` # show print jobs in the default queue.
- `$ lpq -l` # show print jobs in long listing.
- `$ lpq -Plaserj` # show print jobs in the `laserj` queue.
- `$ lpq user1` # show print jobs for `user1`.
- `$ lpq -a` # show print jobs in all queues.



Remove print jobs with `cancel`

- `$ cancel 65 # remove job with an ID of 65, of the current user.`
- `$ cancel -a laserj # remove all jobs of the current user from the laserj queue.`
- `# cancel -a laserj # remove all jobs from the laserj queue.`
- `# cancel -a # remove all jobs from all queues.`



Remove print jobs with `lprm`


- `$ lprm 67 # remove job with an ID of 67.`
- `$ lprm - # remove all jobs of the current user.`
- `# lprm -Plaserj - # remove all jobs from the laserj queue.`
- `# lprm user1 # remove all jobs from user1.`
- `# lprm - # remove all jobs from all queues.`



Managing printing queues with `lpadmin`

- `# lpadmin -d laserj # set the laserj queue as the default.`
- `# lpadmin -p laserj -o E # enable the laserj queue`
- `# lpadmin -p laserj -o printer-is-shared=true # share the laserj queue with other computers in the network.`
- `# lpadmin -x laserj # delete laserjet queue.`

Note: in BSD systems the `lpc` command had a similar function.



Accept/Reject jobs from queues with `accept/reject`

- `# reject laserj # = cupsreject laserjet.`
Reject jobs from the `laserj` queue.
- `# accept laserj # = cupsaccept laserjet.`
Accept jobs to the `laserj` queue.



Enable/Disable queues with `cupsenable/cupsdisable`

- `# cupsdisable laserj # disable the laserj queue. Jobs are accepted but paused.`
- `# cupsenable laserj # enable the laserj queue. Jobs are accepted and printed.`




Other useful commands

- The **lpoptions** command is used to show, set and change printing parameters of the print queues.
- The **lpinfo** shows useful information about queues and their parameters.



License



The work titled "LPIC-1 102-500 – Lesson 12" by Theodotos Andreou is distributed with the Creative Commons Attribution ShareAlike 4.0 International License.

